

**Выбор редуктора по мощности двигателя (1400 об/мин)**

кВт	передаточное число (i)	обороты на выходе	усилие на выходе (Nm)	сервис фактор	габарит редуктора	двигатель
<b>0,06</b>	40,00	35,00	10,2	1,08	MI25	56A/4
	50,00	28,00	10,8	0,92	MI25	56A/4
	60,00	23,30	12,1	1,41	MI30	56A/4
	60,00	23,30	12,5	0,72	MI25	56A/4
	80,00	17,50	18,0	0,67	MI30	56A/4
<b>0,09</b>	7,50	186,67	3,8	2,35	MI25	56B/4
	10,00	140,00	4,9	1,83	MI25	56B/4
	15,00	93,30	7,0	1,29	MI25	56B/4
	20,00	70,00	8,8	2,04	MI30	56B/4
	20,00	70,00	9,0	0,98	MI25	56B/4
	25,00	56,00	11,5	1,74	MI30	56B/4
	25,00	56,00	10,0	0,96	MI25	56B/4
	30,00	46,70	12,0	1,02	MI25	56B/4
	40,00	35,00	16,5	1,22	MI30	56B/4
	40,00	35,00	15,0	0,73	MI25	56B/4
	50,00	28,00	19,3	0,98	MI30	56B/4
	60,00	23,30	21,8	1,75	MI40	56B/4
	60,00	23,30	18,0	0,94	MI30	56B/4
	80,00	17,50	24,6	1,22	MI40	56B/4
	100,00	14,00	29,0	0,95	MI40	56B/4
<b>0,12</b>	7,50	186,70	5,0	1,77	MI25	56C/4
	10,00	140,00	7,0	1,37	MI25	56C/4
	15,00	93,30	9,5	1,90	MI30	63A/4
	15,00	93,30	9,0	0,96	MI25	56C/4
	20,00	70,00	12,0	1,53	MI30	63A/4
	25,00	56,00	15,6	2,31	MI40	63A/4
	25,00	56,00	15,0	1,30	MI30	63A/4
	30,00	46,70	17,2	2,39	MI40	63A/4
	30,00	46,70	16,0	1,38	MI30	63A/4
	40,00	35,00	21,0	1,91	MI40	63A/4
	40,00	35,00	22,0	0,91	MI30	63A/4
	50,00	28,00	25,0	2,48	MI50	63A/4
	50,00	28,00	25,4	1,58	MI40	63A/4
	50,00	28,00	26,0	0,73	MI30	63A/4
	60,00	23,30	27,1	2,14	MI50	63A/4
	60,00	23,30	29,0	1,31	MI40	63A/4
	80,00	17,50	35,4	1,58	MI50	63A/4
	80,00	17,50	33,0	0,92	MI40	63A/4
	100,00	14,00	42,6	2,14	MI60	63A/4
	100,00	14,00	39,3	1,32	MI50	63A/4
<b>0,18</b>	7,50	186,70	8,0	2,07	MI30	63B/4
	10,00	140,00	10,0	1,79	MI30	63B/4
	15,00	93,30	14,9	2,14	MI40	63B/4
	15,00	93,30	14,0	1,27	MI30	63B/4
	20,00	70,00	19,2	1,98	MI40	63B/4
	25,00	56,00	23,0	2,48	MI50	63B/4
	25,00	56,00	23,3	1,54	MI40	63B/4
	30,00	46,70	26,1	2,79	MI50	63B/4
	30,00	46,70	25,8	1,59	MI40	63B/4
	40,00	35,00	30,0	2,14	MI50	63B/4
	40,00	35,00	31,0	1,27	MI40	63B/4
	50,00	28,00	37,4	1,66	MI50	63B/4
	50,00	28,00	38,0	1,05	MI40	63B/4
	60,00	23,30	46,5	2,28	MI60	63B/4

	60,00	23,30	40,6	1,43	MI50	63B/4
	60,00	23,30	43,0	0,87	MI40	63B/4
	80,00	17,50	56,0	1,84	MI60	63B/4
	80,00	17,50	53,0	1,06	MI50	63B/4
	100,00	14,00	55,3	2,23	MI70	63B/4
	100,00	14,00	63,8	1,43	MI60	63B/4
	100,00	14,00	59,0	0,88	MI50	63B/4
<b>0,25</b>	7,50	186,70	11,0	2,55	MI40	71A/4
	7,50	186,70	10,7	1,49	MI30	63C/4
	10,00	140,00	14,5	2,00	MI40	71A/4
	10,00	140,00	14,0	1,29	MI30	63C/4
	15,00	93,30	20,7	1,54	MI40	71A/4
	20,00	70,00	26,6	2,18	MI50	71A/4
	20,00	70,00	26,6	1,43	MI40	71A/4
	25,00	56,00	32,0	1,78	MI50	71A/4
	25,00	56,00	32,0	1,12	MI40	71A/4
	30,00	46,70	36,3	2,01	MI50	71A/4
	30,00	46,70	36,0	1,16	MI40	71A/4
	40,00	35,00	48,4	2,64	MI60	71A/4
	40,00	35,00	41,6	1,54	MI50	71A/4
	50,00	28,00	57,1	2,01	MI60	71A/4
	50,00	28,00	52,0	1,19	MI50	71A/4
	60,00	23,30	65,6	2,52	MI70	71A/4
	60,00	23,30	64,6	1,64	MI60	71A/4
	60,00	23,30	56,0	1,03	MI50	71A/4
	80,00	17,50	68,2	1,88	MI70	71A/4
	80,00	17,50	77,8	1,32	MI60	71A/4
	100,00	14,00	88,7	2,13	MI80	71A/4
	100,00	14,00	76,7	1,60	MI70	71A/4
	100,00	14,00	89,0	1,03	MI60	71A/4
<b>0,37</b>	7,50	186,70	16,0	1,72	MI40	71B/4
	10,00	140,00	21,0	1,35	MI40	71B/4
	15,00	93,30	30,3	2,15	MI50	71B/4
	15,00	93,30	31,0	1,04	MI40	71B/4
	20,00	70,00	41,4	2,63	MI60	71B/4
	20,00	70,00	39,0	1,47	MI50	71B/4
	20,00	70,00	39,0	0,97	MI40	71B/4
	25,00	56,00	49,2	2,48	MI60	71B/4
	25,00	56,00	47,0	1,20	MI50	71B/4
	30,00	46,70	54,5	2,55	MI60	71B/4
	30,00	46,70	54,0	1,36	MI50	71B/4
	40,00	35,00	72,7	2,41	MI70	71B/4
	40,00	35,00	71,7	1,79	MI60	71B/4
	40,00	35,00	62,0	1,04	MI50	71B/4
	50,00	28,00	85,8	2,61	MI80	71B/4
	50,00	28,00	85,8	2,10	MI70	71B/4
	50,00	28,00	84,6	1,36	MI60	71B/4
	60,00	23,30	97,1	2,27	MI80	71B/4
	60,00	23,30	97,1	1,70	MI70	71B/4
	60,00	23,30	95,0	1,11	MI60	71B/4
	80,00	17,50	111,1	2,48	MI90	71B/4
	80,00	17,50	111,1	1,93	MI80	71B/4
	80,00	17,50	101,0	1,27	MI70	71B/4
	80,00	17,50	115,0	0,89	MI60	71B/4
	100,00	14,00	131,2	1,94	MI90	71B/4
	100,00	14,00	131,2	1,44	MI80	71B/4
	100,00	14,00	114,0	1,08	MI70	71B/4
<b>0,55</b>	7,50	186,70	24,2	1,16	MI40	71C/4

	10,00	140,00	31,5	1,84	MI50	80A/4
	10,00	140,00	31,9	0,91	MI40	71C/4
	15,00	93,30	45,0	1,44	MI50	80A/4
	20,00	70,00	60,0	2,58	MI70	80A/4
	20,00	70,00	61,5	1,77	MI60	80A/4
	20,00	70,00	58,5	0,99	MI50	80A/4
	25,00	56,00	75,0	2,15	MI70	80A/4
	25,00	56,00	73,2	1,67	MI60	80A/4
	30,00	46,70	87,7	2,19	MI70	80A/4
	30,00	46,70	81,0	1,72	MI60	80A/4
	40,00	35,00	108,1	2,44	MI80	80A/4
	40,00	35,00	108,1	1,62	MI70	80A/4
	40,00	35,00	107,0	1,20	MI60	80A/4
	50,00	28,00	127,6	1,76	MI80	80A/4
	50,00	28,00	127,6	1,41	MI70	80A/4
	50,00	28,00	126,0	0,91	MI60	80A/4
	60,00	23,30	144,3	2,29	MI90	80A/4
	60,00	23,30	144,3	1,52	MI80	80A/4
	60,00	23,30	144,0	1,15	MI70	80A/4
	80,00	17,50	165,1	1,67	MI90	80A/4
	80,00	17,50	165,1	1,30	MI80	80A/4
	80,00	17,50	150,0	0,86	MI70	80A/4
	100,00	14,00	221,4	1,81	MI110	80A/4
	100,00	14,00	195,1	1,31	MI90	80A/4
	100,00	14,00	195,0	0,97	MI80	80A/4
<b>0,75</b>	7,50	186,70	33,0	1,61	MI50	80B/4
	10,00	140,00	44,0	2,16	MI60	80B/4
	10,00	140,00	43,0	1,35	MI50	80B/4
	15,00	93,30	63,0	1,97	MI60	80B/4
	15,00	93,30	61,0	1,06	MI50	80B/4
	20,00	70,00	81,9	1,89	MI70	80B/4
	20,00	70,00	84,0	1,30	MI60	80B/4
	25,00	56,00	102,3	2,15	MI80	80B/4
	25,00	56,00	102,3	1,57	MI70	80B/4
	25,00	56,00	100,0	1,22	MI60	80B/4
	30,00	46,70	119,6	1,60	MI70	80B/4
	30,00	46,70	111,0	1,26	MI60	80B/4
	40,00	35,00	147,3	1,79	MI80	80B/4
	40,00	35,00	147,0	1,19	MI70	80B/4
	50,00	28,00	173,9	1,98	MI90	80B/4
	50,00	28,00	174,0	1,29	MI80	80B/4
	50,00	28,00	174,0	1,03	MI70	80B/4
	60,00	23,30	196,7	1,68	MI90	80B/4
	60,00	23,30	196,0	1,12	MI80	80B/4
	80,00	17,50	253,8	1,77	MI110	80B/4
	80,00	17,50	225,0	1,22	MI90	80B/4
	80,00	17,50	225,0	0,95	MI80	80B/4
	100,00	14,00	301,8	1,33	MI110	80B/4
	100,00	14,00	266,0	0,96	MI90	80B/4
<b>1,10</b>	7,50	186,70	48,4	1,10	MI50	80C/4
	10,00	140,00	64,5	1,47	MI60	90S/4
	10,00	140,00	63,0	0,92	MI50	80C/4
	15,00	93,30	94,6	1,90	MI70	90S/4
	15,00	93,30	92,3	1,34	MI60	90S/4
	20,00	70,00	120,0	1,29	MI70	90S/4
	25,00	56,00	150,1	1,47	MI80	90S/4
	25,00	56,00	150,0	1,07	MI70	90S/4
	30,00	46,70	175,5	1,63	MI80	90S/4

	30,00	46,70	176,0	1,09	MI70	90S/4
	40,00	35,00	216,1	1,67	MI90	90S/4
	40,00	35,00	216,0	1,22	MI80	90S/4
	50,00	28,00	255,1	1,35	MI90	90S/4
	60,00	23,30	315,6	1,68	MI110	90S/4
	60,00	23,30	288,0	1,15	MI90	90S/4
	80,00	17,50	348,2	1,92	MI130	90S/4
	80,00	17,50	372,2	1,21	MI110	90S/4
	100,00	14,00	457,7	2,12	MI150	90S/4
	100,00	14,00	397,7	1,56	MI130	90S/4
	100,00	14,00	443,0	0,90	MI110	90S/4
<b>1,50</b>	7,50	186,70	67,5	2,27	MI70	90L/4
	7,50	186,70	67,5	1,54	MI60	90L/4
	10,00	140,00	88,0	1,98	MI80	90L/4
	10,00	140,00	88,0	1,88	MI70	90L/4
	10,00	140,00	85,0	1,12	MI60	90L/4
	15,00	93,30	129,0	1,96	MI80	90L/4
	15,00	93,30	129,0	1,40	MI70	90L/4
	15,00	93,30	126,0	0,99	MI60	90L/4
	20,00	70,00	165,8	1,99	MI90	90L/4
	20,00	70,00	165,8	1,39	MI80	90L/4
	25,00	56,00	204,6	2,30	MI110	90L/4
	25,00	56,00	204,6	1,56	MI90	90L/4
	25,00	56,00	205,0	1,08	MI80	90L/4
	30,00	46,70	239,3	1,61	MI90	90L/4
	30,00	46,70	239,3	1,20	MI80	90L/4
	40,00	35,00	307,0	1,95	MI110	90L/4
	40,00	35,00	294,7	1,22	MI90	90L/4
	50,00	28,00	368,4	2,12	MI130	90L/4
	50,00	28,00	363,2	1,51	MI110	90L/4
	50,00	28,00	348,0	0,99	MI90	90L/4
	60,00	23,30	418,1	1,87	MI130	90L/4
	60,00	23,30	430,4	1,23	MI110	90L/4
	80,00	17,50	507,5	2,03	MI150	90L/4
	80,00	17,50	474,8	1,41	MI130	90L/4
	80,00	17,50	507,0	0,89	MI110	90L/4
	100,00	14,00	624,2	1,55	MI150	90L/4
	100,00	14,00	542,3	1,14	MI130	90L/4
<b>1,80</b>	7,50	186,70	81,0	1,89	MI70	90LB/4
	7,50	186,70	81,0	1,28	MI60	90LB/4
	10,00	140,00	105,6	2,19	MI90	90LB/4
	10,00	140,00	105,6	1,65	MI80	90LB/4
	10,00	140,00	105,6	1,56	MI70	90LB/4
	15,00	93,30	154,8	2,27	MI90	90LB/4
	15,00	93,30	154,8	1,63	MI80	90LB/4
	15,00	93,30	155,0	1,16	MI70	90LB/4
	20,00	70,00	194,0	2,27	MI110	90LB/4
	20,00	70,00	198,9	1,66	MI90	90LB/4
	20,00	70,00	198,9	1,16	MI80	90LB/4
	25,00	56,00	245,6	1,91	MI110	90LB/4
	25,00	56,00	245,6	1,30	MI90	90LB/4
	30,00	46,70	287,1	2,12	MI110	90LB/4
	30,00	46,70	287,1	1,34	MI90	90LB/4
	30,00	46,70	287,0	1,00	MI80	90LB/4
	40,00	35,00	353,6	2,40	MI130	90LB/4
	40,00	35,00	368,4	1,63	MI110	90LB/4
	40,00	35,00	354,0	1,02	MI90	90LB/4
	50,00	28,00	442,0	1,76	MI130	90LB/4

	50,00	28,00	435,9	1,26	MI110	90LB/4
	60,00	23,30	501,7	2,31	MI150	90LB/4
	60,00	23,30	501,7	1,55	MI130	90LB/4
	60,00	23,30	516,0	1,03	MI110	90LB/4
	80,00	17,50	609,0	1,69	MI150	90LB/4
	80,00	17,50	569,7	1,18	MI130	90LB/4
	100,00	14,00	761,3	1,90	MI175	90LB/4
	100,00	14,00	749,0	1,30	MI150	90LB/4
	100,00	14,00	651,0	0,95	MI130	90LB/4
<b>2,20</b>	7,50	186,70	99,0	1,97	MI80	100LA/4
	7,50	186,70	99,0	1,54	MI70	100LA/4
	7,50	186,70	99,0	1,05	MI60	100LA/4
	10,00	140,00	129,1	1,79	MI90	100LA/4
	10,00	140,00	129,1	1,35	MI80	100LA/4
	10,00	140,00	129,0	1,28	MI70	100LA/4
	15,00	93,30	189,2	1,86	MI90	100LA/4
	15,00	93,30	189,2	1,34	MI80	100LA/4
	20,00	70,00	237,1	1,86	MI110	100LA/4
	20,00	70,00	243,1	1,36	MI90	100LA/4
	20,00	70,00	243,0	0,95	MI80	100LA/4
	25,00	56,00	300,1	1,57	MI110	100LA/4
	25,00	56,00	300,0	1,07	MI90	100LA/4
	30,00	46,70	350,9	1,74	MI110	100LA/4
	30,00	46,70	351,0	1,10	MI90	100LA/4
	40,00	35,00	432,2	1,97	MI130	100LA/4
	40,00	35,00	450,2	1,33	MI110	100LA/4
	50,00	28,00	540,3	1,44	MI130	100LA/4
	50,00	28,00	533,0	1,03	MI110	100LA/4
	60,00	23,30	613,2	1,89	MI150	100LA/4
	60,00	23,30	613,2	1,27	MI130	100LA/4
	80,00	17,50	792,4	1,94	MI175	100LA/4
	80,00	17,50	744,4	1,38	MI150	100LA/4
	80,00	17,50	696,0	0,96	MI130	100LA/4
	100,00	14,00	930,4	1,56	MI175	100LA/4
	100,00	14,00	915,0	1,06	MI150	100LA/4
<b>3,00</b>	7,50	186,70	135,0	1,87	MI90	100LB/4
	7,50	186,70	135,0	1,44	MI80	100LB/4
	7,50	186,70	135,0	1,13	MI70	100LB/4
	10,00	140,00	176,0	1,31	MI90	100LB/4
	10,00	140,00	176,0	0,99	MI80	100LB/4
	15,00	93,30	254,9	2,12	MI110	100LB/4
	15,00	93,30	257,9	1,36	MI90	100LB/4
	15,00	93,30	258,0	0,98	MI80	100LB/4
	20,00	70,00	335,6	2,20	MI130	100LB/4
	20,00	70,00	323,3	1,36	MI110	100LB/4
	20,00	70,00	332,0	1,00	MI90	100LB/4
	25,00	56,00	404,2	1,76	MI130	100LB/4
	25,00	56,00	409,0	1,15	MI110	100LB/4
	30,00	46,70	466,3	1,95	MI130	100LB/4
	30,00	46,70	479,0	1,27	MI110	100LB/4
	40,00	35,00	613,9	2,13	MI150	100LB/4
	40,00	35,00	589,4	1,44	MI130	100LB/4
	40,00	35,00	614,0	0,98	MI110	100LB/4
	50,00	28,00	767,4	1,63	MI150	100LB/4
	50,00	28,00	737,0	1,06	MI130	100LB/4
	60,00	23,30	873,0	1,98	MI175	100LB/4
	60,00	23,30	836,1	1,39	MI150	100LB/4
	60,00	23,30	835,0	0,93	MI130	100LB/4

	80,00	17,50	1080,5	1,43	MI175	100LB/4
	80,00	17,50	1015,0	1,01	MI150	100LB/4
	100,00	14,00	1268,8	1,14	MI175	100LB/4
<b>4,00</b>	7,50	186,70	178,0	2,25	MI110	112MB/4
	7,50	186,70	180,0	1,40	MI90	112MB/4
	7,50	186,70	180,1	1,08	MI80	112MB/4
	10,00	140,00	234,7	1,92	MI110	112MB/4
	10,00	140,00	235,0	0,98	MI90	112MB/4
	15,00	93,30	339,8	1,59	MI110	112MB/4
	15,00	93,30	344,0	1,02	MI90	112MB/4
	20,00	70,00	447,5	1,65	MI130	112MB/4
	20,00	70,00	431,0	1,02	MI110	112MB/4
	25,00	56,00	538,9	1,86	MI150	112MB/4
	25,00	56,00	538,9	1,32	MI130	112MB/4
	30,00	46,70	621,7	1,46	MI130	112MB/4
	40,00	35,00	818,6	1,60	MI150	112MB/4
	40,00	35,00	786,0	1,08	MI130	112MB/4
	50,00	28,00	1009,6	1,84	MI175	112MB/4
	50,00	28,00	1023,2	1,22	MI150	112MB/4
	60,00	23,30	1164,0	1,49	MI175	112MB/4
	60,00	23,30	1115,0	1,04	MI150	112MB/4
	80,00	17,50	1440,7	1,07	MI175	112MB/4
	100,00	14,00	1691,7	0,86	MI175	112MB/4
<b>5,00</b>	7,50	186,70	244,8	1,63	MI110	132SA/4
	10,00	140,00	322,7	1,39	MI110	132SA/4
	15,00	93,30	472,9	1,73	MI130	132SA/4
	15,00	93,30	467,0	1,16	MI110	132SA/4
	20,00	70,00	630,3	1,81	MI150	132SA/4
	20,00	70,00	615,0	1,20	MI130	132SA/4
	25,00	56,00	741,0	1,35	MI150	132SA/4
	25,00	56,00	741,0	1,32	MI130	132SA/4
	30,00	46,70	855,0	1,06	MI130	132SA/4
	40,00	35,00	1110,5	1,71	MI175	132SA/4
	40,00	35,00	1126,0	1,16	MI150	132SA/4
	50,00	28,00	1407,0	0,89	MI150	132SA/4
	60,00	23,30	1600,5	1,08	MI175	132SA/4
<b>7,50</b>	7,50	186,70	337,6	1,95	MI130	132MA/4
	7,50	186,70	334,0	1,20	MI110	132MA/4
	10,00	140,00	440,0	1,68	MI130	132MA/4
	10,00	140,00	440,0	1,02	MI110	132MA/4
	15,00	93,30	652,5	1,79	MI150	132MA/4
	15,00	93,30	644,9	1,27	MI130	132MA/4
	20,00	70,00	849,3	1,88	MI175	132MA/4
	20,00	70,00	859,5	1,33	MI150	132MA/4
	25,00	56,00	1023,2	1,44	MI175	132MA/4
	25,00	56,00	1010,0	0,99	MI150	132MA/4
	30,00	46,70	1211,6	1,77	MI175	132MA/4
	30,00	46,70	1166,0	1,77	MI150	132MA/4
	40,00	35,00	1514,4	1,25	MI175	132MA/4
	50,00	28,00	1892,9	0,98	MI175	132MA/4
<b>9,20</b>	7,50	186,70	414,0	1,59	MI130	132MB/4
	10,00	140,00	546,0	1,94	MI150	132MB/4
	10,00	140,00	540,0	1,37	MI130	132MB/4
	15,00	93,30	800,4	2,26	MI175	132MB/4
	15,00	93,30	800,4	1,46	MI150	132MB/4
	15,00	93,30	791,0	1,04	MI130	132MB/4
	20,00	70,00	1041,8	1,54	MI175	132MB/4
	20,00	70,00	1054,0	1,08	MI150	132MB/4

	25,00	56,00	1255,1	1,17	MI175	132MB/4
	30,00	46,70	1486,3	1,45	MI175	132MB/4
	30,00	46,70	1429,8	0,95	MI150	132MB/4
	40,00	35,00	1857,6	1,02	MI175	132MB/4
<b>11,00</b>	7,50	186,70	495,1	2,04	MI150	160SA/4
	7,50	186,70	495,1	1,33	MI130	160SA/4
	10,00	140,00	660,3	2,50	MI175	160SA/4
	10,00	140,00	652,8	1,62	MI150	160SA/4
	10,00	140,00	645,3	1,15	MI130	160SA/4
	15,00	93,30	957,0	1,89	MI175	160SA/4
	15,00	93,30	957,0	1,22	MI150	160SA/4
	20,00	70,00	1245,6	1,28	MI175	160SA/4
	25,00	56,00	1500,7	0,98	MI175	160SA/4
	30,00	46,70	1777,1	1,21	MI175	160SA/4
<b>15,00</b>	7,50	186,70	682,9	2,20	MI175	160LA/4
	7,50	186,70	675,0	1,49	MI150	160LA/4
	10,00	140,00	900,4	1,83	MI175	160LA/4
	10,00	140,00	890,0	1,19	MI150	160LA/4
	15,00	93,30	1305,1	1,39	MI175	160LA/4
<b>18,50</b>	7,50	186,70	842,2	1,78	MI175	160LA/4
	10,00	140,00	1110,5	1,49	MI175	160LA/4